Iberta Swine Improvement
Program
CANADIANA
CANADIANA

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-531
HOME TEST REPORT
March 16 - 31, 1989

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

- 1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
- 2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
- 3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
- 4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic Where no EBV's are shown, sires are too new to have been evaluated. worth.
- 5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

/2 · · Aberia

Agriculture Canada

How To Use This Report

BOARS

- Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
- 2. Narrow your field of farms due to distance, health considerations, etc.
- Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
- Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

- Determine what breeds or crossbreds will fit in best to your intended breeding program.
- 2. Limit your choices of farms due to distance, health status, etc.
- Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
- Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu

Senior Swine Technician

Alberta Agriculture, Pork Industry Branch

#204, 7000 - 113 Street

EDMONTON, Alberta

T6H 5T6

Phone: 427 - 5319

B O A R S

| | | | IRE .B.V. | SIRE' | S | | | BACKE | AT AGE | |
|--------------------------------|---|------|--------------|-------|-----|------|---------|--------|--------|---------|
| BREEDER | SIRE | FAT | AGE | EBV | % | PI | G | 90 K | | CG |
| & TELEPHONE | IDENTIFICATION | (MM) | (DAYS) | INDEX | REP | IDE | NT. | (MM) | (DAYS |) INDEX |
| | | | YORKS | SHIRE | | | | | | |
| Acadia Breeders | 12 month average | | | | | 131 | pigs | (12.8) | (147) | 100 |
| Lacombe 782-2836 | ACA 88W | | | | | ACA | 19903X | 9.9 | 15.2 | 127 |
| 702 2030 | JKAA 13804U | -0.4 | -4.6 | 125 | 91 | 11 | 20102X | 11.4 | 142 | 127 |
| | ACA 88W | | | 2.20 | - | 88 | 20601X | 11.7 | 144 | 119 |
| | APWY 1392W | | | | | ** | 20802X | 14.8 | 139 | 91 |
| Arychuk, D. Viking | 12 month average | | | | | (Not | Availal | ole) | | |
| 336-2128 | ASPX 681W (1) | | | | | DEWA | 20X | 14.1 | 140 | |
| | 11 | | | | | 11 | 21X | 12.9 | 151 | |
| | THE RESERVE TO SERVE THE PARTY OF THE PARTY | | | | | 8.0 | 22X | 13.4 | 142 | |
| | 11 | | | | | 8.8 | 23X | 12.3 | 147 | |
| | 11 | | | | | 9.9 | 24X | 14.7 | 143 | |
| Barrett, R. & A. Ponoka | 12 month average | | | | | 46 | pigs | (12.5) | (143) | 100 |
| 783-5192 | ROYS 227W | | | | | ROYS | 434X | 11.3 | 154 | 92 |
| Bloomsbury Farms Bloomsbury | 12 month average | | | | | 138 | pigs | (14.0) | (144) | 100 |
| 674-3307 | WM 8008W | | | | | WM | 6909X | 15.0 | 141 | 96 |
| | WM 8207W | | | | | 11 | 7004X | 11.8 | 147 | 114 |
| Brownlee, J. Hairy Hill | 12 month average | | | | | 81 p | igs | (14.1) | (166) | 100 |
| 768-2313 | KKEF 1434W | | | | | AHKP | 560X | 10.4 | 192 | 105 |
| | " | | | | | 8.8 | 571X | 14.0 | 161 | 108 |
| 11/1/2 | RITR 575U | 0.0 | -3.6 | 113 | 88 | 9.9 | 575X | 11.4 | 168 | 126 |
| | 11 | ** | 11 | 11 | ** | 7.9 | 576X | 14.0 | 161 | 108 |
| | 11 | 11 | 11 | 11 | 11 | ** | 577X | 11.8 | 161 | 131 |
| | DANY 121U | +0.4 | -3.1 | 104 | 54 | 11 | 615X | 13.7 | 140 | 139 |
| | " | 9.9 | 11 | 9.0 | 11 | 11 | 619X | 13.8 | 151 | 123 |
| | KKEF 1434W | | | | | 11 | 628X | 13.0 | 155 | 126 |
| 341 9. | 11 | | | | | 11 | 640X | 15.0 | 134 | 134 |
| | 11 | | | | | 11 | 641X | 12.7 | 138 | 152 |
| 1-6/1 | 11 | | | | | 11 | 642X | 12.2 | 138 | 152 |
| | 11 | | | | | 11 | 643X | 12.0 | 131 | 169 |
| 1 | | | | | | 11 | 644X | 14.4 | 142 | 129 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | | IRE .B.V. AGE (DAYS) | SIRE' EBV INDEX | % | PI(| | BACKF 90 k (MM) | | IND |
|---------------------------------|------------------------|------|-------------------------------|-----------------------|-----|-------|------------------|-----------------------|------------|---------|
| Eidse, L. | 12 month average | | | | | (Not | Availal | ole) | | |
| Crooked Creek | | | | | | | | | | |
| 957-2446 | ASCG 745W | | | | | LE | 611X 664X | 13.7 12.9 | 156 131 | |
| Eringfeld, B. | 12 month average | | | | | 47 1 | pigs | (12.8) | (163) | 10 |
| 345-3420 | KKEF 768W | -2.2 | +1.8 | 132 | 65 | AOGK | 702X | 16.3 | 172 | 5 |
| | 11 | ** | 11 | ** | 19 | 11 | 703X | 17.4 | 205 | -1 |
| | F1 | ** | 11 | ** | 9.9 | 11 | 762X | 16.2 | 191 | 2 |
| Five Lakes Farms Mayerthorpe | 12 month average | | | | | 272] | pigs | (12.2) | (171) | 10 |
| 786-2187 | KKEF 2690W | | | | | JKAA | 18303X | 12.9 | 212 | 2 |
| | KKEF 2391W | | | | | 11 | 18604X | | 217 | 3 |
| | ARHL 707U | | | | | 11 | 20301X | | 173 | 9 |
| | RITR 97W | -1.8 | -4.4 | 150 | 83 | 11 | 20403X | | 167 | 9 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 20404X | | 173 | 10 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 20405X | | 170 | 10 |
| | ATJG 484W (1) | +0.5 | -8.7 | 124 | 83 | ** | 20601X | | 179 | 6 |
| | " | 11 | 11 | 11 | 11 | 11 | 20802X | | 183 | 7 |
| | JKAA 1602W | | | | | 11 | 21002X | | 180 | 8 |
| | ** | | | | | 11 | 21005X | | 172 | 9 |
| | ** | | | | | 11 | 21203X | | 162 | 11 |
| | 8 9 | | | | | 11 | 21204X | | 172 | 11 |
| | # P | | | | | 11 | 21501X | | 170 | 10 |
| | 8 9 | | | | | 11 | 21502X | | 174 | 9 |
| | KKEF 2690W | | | | | 9.9 | 21603X | | 171 | 10 |
| | 11 | | | | | 11 | 21807X | | 170 | 10 7 |
| | JKAA 1602W | | | | | 11 | 22902X | | 149 | 13 |
| | RITR 97W | -1.8 | -4.4 | 150 | 83 | 11 | 23002X | | 149 | 10 |
| | 8.6 | 11 | ** | 11 | 11 | 9.9 | 23004X | 14.1 | 141 | 12 |
| | 11 | 11 | 11 | 11 | 11 | 9.0 | 23005X | 13.6 | 149 | 11 |
| Gilt Line Farm Lt Acme | d. 12 month average | | | | | 39 | pigs | (13.7) | (162) | 10 |
| 546-4042 | NPD 320W | -1.3 | +3.9 | 108 | 83 | GLFL | 336X | 14.1 | 186 | |
| | ** | 11 | 11 | .11- | 11 | 11 | 337X | 10.6 | 180 | 10 |
| | ** | 11 | 11 | 11 | 11 | 11 | 338X | 9.6 | 192 | 4 |
| | 99 | 11 | 11 | 11 | 11 | ** | 393X | 12.0 | 163 | 11 |
| | 11 | 11 | 11 | 11 | 11 | ** | 405X | 15.9 | 153 | 1 |
| Gwynne Vista Farm Gwynne | s 12 month average | | | | | 173 | pigs | (11.7) | (158) | . 1 |
| 352 – 2998 | KKEF 2332T (1) | +0.5 | -5.9 | 112 | 96 | CLIVA | 15901X | 11.0 | 163 | |
| 332-2330 | KKEF 23321 (1) | +0.5 | -5.9 | 113 | 90 | GWIN | 15901X 15907X | | 171 | |
| | 11 | 11 | 11 | 11 | 11 | ** | 16001X | | 167 | |
| | | | | | | | TOOOTU | TO . 4 | 10/ | |

| | | | S | SIRE | | | | | | | |
|--------------------------------|---------|---------------|------|--------|--------|-----|-----------------|----------------|--------|------------|------------|
| | | | E | E.B.V. | SIRE'S | | | | BACKE | AT AGE | |
| BREEDER | | SIRE | FAT | AGE | EBV | % | PI | | 90 K | | |
| & TELEPHONE | IDENT | IFICATION | (MM) | (DAYS) | INDEX | REP | IDE | VT. | (MM) | (DAYS) | INDEX |
| Gwynne Vista | KKEF 2 | 2332T (1) | +0.5 | -5.9 | 113 | 96 | GWYN | 16003X | 12.7 | 166 | 76 |
| Farms (cont) | 11 | | 9.9 | 11 | 9.9 | ** | 8.8 | 16301X | 13.1 | 166 | 72 |
| | GWYN 8 | | | | | | 99 | 16703X | 13.1 | 156 | 91 |
| | KKEF 2 | 2332T (1) | +0.5 | -5.9 | 113 | 96 | 9.9 | 18001X | 11.3 | 147 | 123 |
| Maschmeyer, D. & Bruderheim | G. 12 m | month average | | | | | 50 ₁ | oigs | (14.1) | (144) | 100 |
| 998-2845 | DOUG 1 | L97W | | | | | HILL | 203X | 12.9 | 150 | 103 |
| | 9.8 | | | | | | 8.8 | 204X | 15.3 | 151 | 78 |
| | HILL 5 | 55U | -0.5 | +0.8 | 106 | 82 | 99 | 344X | 13.3 | 135 | 121 |
| Matejka, G. Sylvan Lake | 12 mor | nth average | | | | | 335 1 | oigs | (12.0) | (154) | 100 |
| 887-2656 | KKEF 1 | L567W | -2.5 | -5.4 | 167 | 45 | KKEF | 1923X | 9.3 | 172 | 95 |
| | KKEF 3 | 342U | | | | | 11 | 1933X | 10.5 | 170 | 85 |
| | *11 | | | | | | 17 | 1935X | 10.6 | 180 | 66 |
| | KKEF 2 | | | | | | ** | 1968X | 10.3 | 177 | 73 |
| | KKEF 2 | | | | | | 8.9 | 1970X | 11.9 | 147 | 114 |
| | KKEF 1 | L543U | -0.8 | -0.7 | 117 | 65 | 9.9 | 2002X | 11.8 | 164 | 83 |
| | 11 | 10.0 | 11 | 11 | 11 | 9.9 | *** | 2008X | 11.6 | 159 | 95 |
| | GARY 9 | 91W | | | | | 99 | 2040X | 10.7 | 146 | 130 |
| 12011 | | | 0 = | - / | | | 81 | 2042X | 10.7 | 143 | 135 |
| | KKEF 1 | L56/W | -2.5 | -5.4 | 167 | 45 | 88 | 2060X | 11.9 | 143 | 122 |
| | KKEF 2 | 250017 | | | | | 77 | 2062X | 10.6 | 146 | 131 |
| BALL . | GARY 9 | | | | | | 8.8 | 2150X 2160X | 9.9 | 141 147 | 147 118 |
| | GART |) I W | | | | | | 2100A | 11.0 | 14/ | 110 |
| Reiter Farms Iron Springs | | nth average | | | | | 193 1 | oigs | (12.3) | (142) | 100 |
| 738-4472 | GDCM 2 | | | | | | RITR | 2166X | 11.8 | 163 | 49 |
| | RITR 1 | | | | | | 8.8 | 2254X | 10.7 | 155 | 82 |
| | JKAA 1 | L9904U | -1.8 | -1.7 | 139 | 76 | 9.9 | 2273X | 12.7 | 156 | 59 |
| | | | | 11 | " | 11 | 11 | 2274X | 13.1 | 155 | 58 |
| | RITR 6 | | -0.6 | -1.7 | 117 | 95 | 88 | 2292X | 13.8 | 142 | 84 |
| | RITR 1 | LU54W | | | | | 81 | 2326X | 16.9 | 137 | 68 |
| | 11 | | | | | | 11 | 2327X | 15.1 | 135 | 90 |
| | .TKAA 1 | 19904U | -1.8 | -1.7 | 139 | 76 | 11 | 2329X 2444X | 13.8 | 138 128 | 95 166 |
| | Older 3 | 233040 | 1.0 | 1.07 | 137 | 70 | | 24441 | 7.5 | 120 | 100 |
| koeske, M. Ilcomdale | 12 mor | nth average | | | | | 80 j | oigs | (12.8) | (143) | 100 |
| 39-4938 | KKEF 2 | 2332T (1) | +0.5 | -5.9 | 113 | 96 | ROSE | 474X | 11.5 | 149 | 104 |
| | ROSE 2 | | | | | | 11 | 494X | 11.2 | 160 | 82 |
| | 11 | | | | | | 11 | 503X | 12.4 | 162 | 63 |
| | 11 | | | | | | ** | 504X | 13.7 | 150 | 72 |
| | 11 | | | | | | 11 | 509X | 13.4 | 147 | 83 |

| | | | IRE | rie. | | | | | | |
|-----------------------------|------------------------|--|---------------|--------------|----------|-------|----------------|---------------|-------------------|----------|
| | CIDI | | .B.V. | SIRE'S | | 2.7 | ~ | BACKFA | | |
| BREEDER & TELEPHONE | SIRE IDENTIFICATION | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | PIC | | 90 K((MM) | G 90 KG (DAYS) | IND |
| | | Administrativa de la companya de la | LANDR | ACE | | | | | | |
| Acadia Breeders | 12 month average | | | | | 131 | nice | (12.3) | (148) | 10 |
| Lacombe | 12 month average | | | | | 101 | pigo | (12.5) | (140) | 10 |
| 782-2836 | ARHL 1044U | -2.3 | -0.5 | 140 | 83 | ACA | 18301X | 12.0 | 157 | 8 |
| | 89 | 11 | ** | ** | ** | 11 | 20704X | 9.1 | 137 | 15 |
| Barrett, R. & A. | 12 month average | | | | | 94 | pigs | (12.9) | (136) | 10 |
| Ponoka | DOVC 27211 | 0 0 | -3.5 | 126 | 06 | DOVC | /. /. 2V | 11 2 | 126 | 12 |
| 783–5192 | ROYS 273U | -0.8 | -3.5 | 126 | 86 | ROYS | 443X 444X | 11.3 | 129 | 13 13 |
| | ROYS 380W | | | | | 8.0 | 460X | 14.1 | 139 | 8 |
| | NOTE SOOW | | | | | 11 | 461X | 13.0 | 130 | 11 |
| | d. 12 month average | | | | | (Not | Availal | ole) | | |
| Acme | DITTO (FOLL (1) | 0.0 | 2 / | 126 | 01 | CT IT | 26 EV | 0 5 | 1.45 | |
| 546-4042 | RITR 658W (1) | -0.8 | -3.4 | 126 | 81 | GLFL | 365X 367X | 9.5 11.6 | 145 153 | |
| | 11 | 11 | 11 | н | ** | 9.9 | 368X | 9.8 | 159 | |
| | NPD 1257W | | | | | ** | 380X | 11.8 | 148 | |
| | NID 1257W | | | | | 11 | 381X | 12.3 | 142 | |
| Tabalani Callana | 12 | | | | | 10/. | | (12.0) | (150) | 1.0 |
| Vermilion | 12 month average | | | | | 104 | pigs | (13.9) | (158) | 10 |
| 853-8597 | ARHL 956U (1) | -2.1 | -6.3 | 159 | 85 | ATAT | 631X | 13.7 | 154 | 10 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 632X | 14.2 | 152 | 10 |
| | 10 | 8.0 | 11 | 11 | 11 | 8.8 | 633X | 14.4 | 173 | 7 |
| | 8.8 | 11 | 11 | 11 | 11 | 11 | 634X | 14.6 | 167 | 7 |
| | 8.0 | 11 | 11 | 9.9 | 11 | 11 | 638X | 12.6 | 148 | 13 |
| | 9 9 | 11 | 11 | ** | 9.8 | 9.0 | 639X | 9.5 | 156 | 15 |
| | 9.0 | 9.9 | ** | 8.8 | ** | 11 | 640X | 12.6 | 160 | 11 |
| | ** | 11 | 11 | 11 | 7.7 | 11 | 641X | 10.2 | 153 | 14 |
| | 11 | 11 | 11 | 7.7 | ** | ** | 642X | 11.4 | 152 | 13 |
| | ATAT 313W | | | | | 11 | 653X | 13.8 | 147 | 1.1 |
| | 11 | | | | | 11 | 655X | 13.8 | 147 | 11 |
| Maschmeyer, D. & Bruderheim | G. 12 month average | | | | | 20 | pigs | (13.4) | (142) | 10 |
| 998-2845 | HILL 93W | | | | | HILL | 44X | 13.1 | 144 | 9 |
| | 11 | | | | | 11 | 45X | 14.5 | 140 | 9 |
| | 11 | | | | | 11 | 46X | 11.9 | 146 | 10 |
| Reiter Farms | 12 month average | | | | | 45 | pigs | (12.7) | (144) | 10 |
| Iron Springs 738-4472 | ARHL 375W | | | | | מידים | 212/2 | 10.2 | 160 | 8 |
| / 50-44/2 | AKHL 3/5W | | | | | RITR | 2124X 2206X | | 160 159 | 7 |
| | 99 | | | | | 11 | 2356X | | 152 | , |
| | | | | | | | 4330A | 20.7 | 104 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | | IRE .B.V. AGE (DAYS) | SIRE'S EBV INDEX | % REP | | IG ENT. | BACKE 90 K (MM) | | KG INDE |
|---|----------------------------|------|-------------------------------|------------------------|----------|-----------|----------------------------|-----------------------|--------------|------------|
| | | -11 | LACC | MBE | | | | | | |
| Bloomsbury Farms Bloomsbury | 12 month average | | | | | 344 | pigs | (15.2) | (140) | 100 |
| 674-3307 | BL 6506W BL 6309W | | | | | BL | 10408X 10505X | 14.2 | 154 158 | 83 56 |
| | 11 | | | | | 11 | 10506X 10507X | 14.7 16.0 | 148 152 | 90 69 |
| | BL 6710W | | | | | 8.8 | 10607X 10608X | 13.3 | 154 159 | 93 58 |
| | BL 8407W | | | | | 8.8 | 10707X 10708X | 12.4 | 151 149 | 108 78 |
| | 11 | | | | | 99 | 10709X 10709X 10807X | 13.1 | 149 | 104 106 |
| | II | | | | | ** | 10810X | 15.4 | 140 | 108 |
| | BL 6908W | | | | | 11 | 10909X 10910X | 14.5 16.3 | 147 148 | 94 73 |
| | 11 | | | | | 11 | 10911X 10912X | 17.4 | 144 145 | 70 130 |
| | BL 7007W | | | | | 8.8 | 10913X 11008X | 13.6 | 148 142 | 101 133 |
| | BL 6506W | | | | | 9.7 | 11113X 11114X | 15.0 14.0 | 150 139 | 83 115 |
| | BL 6908W | | | | | 2 T | 11206X 11207X | 10.7 | 145 140 | 137 92 |
| | H 23.555 | | | | | 88 | 11208X 11209X | 16.2 | 152 142 | 67 111 |
| | BL 7007W | | | | | 99 | 11302X 11304X | 16.3 | 147 134 | 75 128 |
| | 11 | | | | | 11 | 11305X | 11.9 | 144 | 127 |
| | II 6200U | | | | | 11 | 11306X 11307X | 14.0 | 141 | 111 |
| | BL 6309W | | | | | | 11508X | 13.5 | 131 | 136 |
| Five Lakes Farms Mayerthorpe 786-2187 | 12 month average JA 20505W | | | | | 109 JA | pigs 18903X | (12.1) | (170) 210 | 100 |
| | s 12 month average | | | | | | pigs | (12.5) | (160) | 100 |
| Gwynne 352-2998 | KR 11502W | | | | | KR | 15803X | 14.7 | 179 | 48 |
| Thomas and | " KR 11806U | | | | | 11 | 15806X 17408X | | 172 155 | 74 114 |
| | KR 12802U KR 11806U | -2.3 | -4.1 | 165 | 73 | ** | 17504X 17804X | 14.1 | 152 157 | 101 97 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | | IRE .B.V. AGE (DAYS) | SIRE'S EBV INDEX | % REP | PI IDE | | BACKF 90 K (MM) | | IND |
|--------------------------------|------------------------|-----|-------------------------------|------------------------|----------|---------------------------|------------------|-----------------------|------------|---------|
| | | | HAMPS | HIRE | | the state of the state of | | | | |
| Bloomsbury Farms Bloomsbury | 12 month average | | | | | 89 | pigs | (12.9) | (152) | 10 |
| 674-3307 | WM 7309W | | | | | WM | 6806X | 13.2 | 156 | 8 |
| Brownlee, J. Hairy Hill | 12 month average | | | | | 40 | pigs | (11.5) | (173) | 10 |
| 768-2313 | AOVX 32U | | | | | AHKP | 499X 500X | 14.3 | 210 199 | 3 |
| | AOVX 10W | | | | | 11 | 594X | 13.1 | 202 | 5 |
| Bugeaud Farms Turner Valley | 12 month average | | | | | (Not | Availab | le) | | |
| 938–6200 | ANZI 512U | | | | | KMA '' | 72X 74X | 15.6 14.4 | 154 154 | |
| Five Lakes Farms | 12 month average | | | | | 145 | pigs | (12.1) | (181) | 10 |
| Mayerthorpe 786-2187 | YAP 13005W | | | | | JKAA | | | 201 | 12 |
| | 11 | | | | | YAP JKAA | 20004X 20501X | | 192 154 | 8 15 |
| Reiter Farms Iron Springs | 12 month average | | | | | 27 | pigs | (12.3) | (152) | 10 |
| 738-4472 | WM 5305W | | | | | RITR | 2224X | 12.9 | 169 | 3 |
| | | | DUE | ROC | | | | | | |
| Eidse, L. Crooked Creek | 12 month average | | | | | (Not | Availab | ole) | | |
| 957-2446 | ASCG 130X | | | | | LE | 644X 653X | 13.4 13.8 | 140 143 | |
| | G. 12 month average | | | | | 106 | pigs | (13.0) | (154) | 10 |
| Bruderheim 998-2845 | HILL 123U | 0.0 | -3.3 | 81 | 71 | HILL | 273X 274X | 14.1 12.3 | 151 153 | 9 |
| | RITR 1503W | | | | | 11 | 286X | 12.8 | 143 | 11 |
| | " stored we | | | | | 11 | 287X 289X | 12.4 16.3 | 146 136 | 11 |
| Matejka, G. | 12 month average | | | | | (Not | Availab | ole) | | |
| Sylvan Lake 887-2656 | SMBL 373W | | | | | SMBL | 2172X | 15.2 | 148 | |
| Sylvan Lake | | | | | | | | | 148 | |

| | | | IRE | | | | | | | |
|-------------------------|--|-------------|---------------|--------------|----------|-------|------------------|--------------|------------|------------|
| | CIDE | | .B.V. | SIRE'S | | DT | 0 | BACKE | | 0 |
| BREEDER & TELEPHONE | SIRE IDENTIFICATION | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | PI | NT. | 90 K | (DAYS) | G INDEX |
| A TELEFIONE | | (111) | (DAIO) | INDLA | KEI | IDL | 114 T * | (111) | (DAIS) | TINDEZ |
| | | | RED WA | TTLE | | | | | | |
| | es 12 month average | | | | | 26 | pigs | (22.6) | (171) | 100 |
| Vinfield | CITE FOLL | | | | | D. E | 0.511 | 1/7 | 107 | 0.0 |
| 582-2269 | GHF 58W | | | | | PEN | 95X | 14.7 | 197 | 83 |
| | tt de la companya de | | | | | ** | 96X 97X | 11.5 | 192 187 | 116 129 |
| | 11 | | | | | 11 | 97X 98X | 11.6 | 179 | 148 |
| | | | | | | | 30A | 11.0 | 1/9 | 140 |
| | | | CROSS | BRED | | | | | | |
| Acadia Breeders | 12 month average | | | | | (Not | Availal | ole) | | |
| 782-2836 | ACA 420W | | | | | 8CX | 21102X | 8.3 | 139 | |
| 702-2030 | 11 420W | | | | | 11 | 21102X 21103X | | 141 | |
| | ti ti | | | | | 11 | 21104X | 9.0 | 135 | |
| Barrett, R. & A. | 12 month average | | | | | (Not | : Availal | ole) | | |
| Ponoka Ponoka | 67 | | | | | (2100 | | , | | |
| 783-5192 | ROYS 273U | | | | | 8AL | 450X | 12.9 | 133 | |
| Bloomsbury Farms | 12 month average | | | | | 89 | pigs | (14.4) | (137) | 100 |
| 574-3307 | BL 6710W | | | | | 8KJ | 7507X | 13.8 | 158 | 71 |
| 3307 | DE OF LOW | | | | | 11 | 7508X | | 140 | 97 |
| | 11 | | | | | 11 | 7510X | | 158 | 48 |
| | 11 | | | | | 9.9 | 7511X | | 151 | 65 |
| Deschner, K. | 12 month average | | | | | 53 | pigs | (11.6) | (153) | 100 |
| Brooks | | | | | | | | | | |
| 362-7304 | KARL 17W | | | | | 8KB | 87X | 12.9 | 168 | 58 |
| | | - , | 10.0 | | | 11 | 89X | 10.6 | 166 | 95 |
| | KKEF 1490T (1) | -1.4 | -10.2 | 165 | 91 | 11 | 470X | 9.8 | 179 | 90 |
| | 11 | 11 | 11 | " | 11 | 11 | 475X | 7.6 | 177 | 124 |
| | 11 | | | | | 11 | 477X | 10.6 | 167 | 91 |
| | - 11 | | | | | *** | 521X | 9.0 | 166 | 119 |
| | 11 | | | | | ** | 522X 523X | 10.7 12.5 | 170 | 87 |
| | 11 | | | | | 11 | 525X | 11.6 | 166 163 | 67 85 |
| | KARK 7W | | | | | 11 | 564X | 11.9 | 168 | 72 |
| Groot, C. Weerlandia | 12 month average | | | | | 93 | pigs | (12.4) | (162) | 100 |
| 574-4077 | 8CL 5793W | | | | | 8CL | 7910X | 13.7 | 167 | 76 |
| | 8CL 6631W | | | | | OCL | 7921X | | 167 | 87 |
| | OCT DOSTM | | | | | | / 4 / I A | 1/-0 | 10/ | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | | IRE .B.V. AGE (DAYS) | SIRE'S EBV INDEX | % | PI IDE | | BACKF. 90 K (MM) | | KG IND |
|--------------------------|--------------------------|--------|----------------------|------------------------|-----|-----------|----------------|------------------------|------------|-----------|
| Groot, C. (continued) | 8CL 5684W 8CL 6643X | | <u>1</u> 2/12/11/1 | | | 8CL | 8070X 8083X | | 149 144 | 8 |
| | . & G. 12 month average | | | | | (Not | Availal | ole) | | |
| Bruderheim | | | | | | | | | | 15/2-11 |
| 998-2845 | HILL 93W | | | | | 8GM | 783X | 12.5 | 146 | |
| | 11 | | | | | 11 | 784X | 12.9 | 140 | |
| | 11 | | | | | *** | 785X | 14.1 | 145 | |
| | 11 | | | | | 4.6 | 786X | 12.9 | 145 | |
| | 11 | | | | | 11 | 787X | 14.2 | 148 | |
| Ranchview Tes Bentley | t Barn 12 month average | | | | | 813 | pigs | (12.7) | (152) | 10 |
| 748-3802 | ATAF 102W (1) | | | | | 8RF | 34810X | 11.0 | 215 | -2 |
| | 8RF 6727U | | | | | 11 | 3563X | 11.3 | 204 | _ |
| | RITR 1174U (1) | -0.3 | -12.3 | 153 | 89 | 11 | 4411X | 10.1 | 148 | 14 |
| | " | 11 | 11 | 11 | 11 | 11 | 4415X | | 144 | 14 |
| | ATAF 102W (1) | | | | | 11 | 4421X | | 155 | 12 |
| | 11 102W (1) | | | | | 11 | 4423X | | 151 | 12 |
| | 8RF 6764U | | | | | ** | 4423X | | 156 | 11 |
| | 8RF 6257U | | | | | 9.7 | 4481X | | | 11 |
| | ORF 02370 | | | | | 8.7 | | | 140 | |
| | 11 | | | | | 11 | 4482X | | 147 | 10 |
| | 11 | | | | | 11 | 4483X | | 150 | 6 |
| | " | | | | | | 4485X | | 148 | 9 |
| | | | | | | *** | 4488X | | 146 | 11 |
| | 8RF 6654U | | | | | " | 4491X | | 149 | 6 |
| | ATAF 102W (1) | | | | | 91 | 4503X | | 145 | 11 |
| | 8RF 6764U | | | | | 9.9 | 4591X | 13.3 | 137 | 12 |
| | 8RF 6257U | | | | | 11 | 4601X | 13.0 | 139 | 12 |
| Ranchview Far Bentley | ms "B" 12 month average | | | | | 220 | pigs | (12.2) | (155) | 10 |
| 748-3802 | 8RF 5825U | | | | | 8RF | 5438X | 13.2 | 164 | - |
| | 11 | | | | | 11 | 54310X | | 164 | e |
| | 11 | | | | | 11 | 54313X | | 170 | - |
| | 8RF 1602U | | | | | 11 | 5479X | | 158 | ć |
| | 8RF 6308W | | | | | 9.9 | | 12.7 | 146 | 11 |
| | 11 | | | | | ** | 5546X | | 152 | 10 |
| | ARHL 956U (1) | _2 1 | -6.3 | 159 | 85 | ** | 5559X | | 144 | 12 |
| | 8RF 5822U | -2 · 1 | -0.5 | 133 | 0.5 | 11 | | | | 14 |
| | 8RF 5824U | | | | | 11 | 5566X | | 161 | 11 |
| | 8KF 5824U | | | | | 11 | 5598X | | 155 | 11 |
| | | 0 3 | 10.0 | 150 | 0.0 | 11 | 55910X | | 160 | 11 |
| | RITR 1174U (1) | -0.3 | -12.3 | 153 | 89 | | 5628X | | 146 | |
| | | | ., | " | ** | 11 | 5629X | | 144 | 11 |
| | 8RF 1602U | | | | | 11 | 5676X | | 155 | 10 |
| | re- of the second second | | | | | 11 | 5696X | 13.0 | 158 | 8 |

GILTS

| | 12 MONTH A | AVERAGE | | TF | HIS PROBE PERIO | OD |
|---|-------------|-----------------|---------------|-------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| | | YORK | SHIRE | | | |
| Acadia Breeders Lacombe 782-2836 | 157 | 13.5 | 150 | 7 | 12.3 | 150 |
| Arychuk, D. Viking 336-2128 | (Not Avail | lable) | | 1 | 14.1 | 149 |
| Barrett, R. & A. Ponoka 783-5192 | 44 | 13.6 | 148 | 4 | 12.2 | 152 |
| Bloomsbury Farms Bloomsbury 674-3307 | 154 | 16.0 | 146 | 5 | 16.7 | 147 |
| Brownlee, J. Hairy Hill 768-2313 | 90 | 14.8 | 171 | 3 | 14.6 | 162 |
| Eidse, L. Crooked Creek 957-2446 | (Not Avail | lable) | | 4 | 13.5 | 145 |
| Eringfeld, B. Coaldale 345-3420 | 97 | 14.2 | 175 | 4 | 16.4 | 195 |
| Five Lakes Farms Mayerthorpe 786-2187 | 329 | 13.0 | 176 | 11 | 13.4 | 173 |
| Gilt Line Farm Acme 546-4042 | 54 | 14.2 | 168 | 14 | 11.7 | 161 |
| Gwynne Vista Farms Gwynne 352-2998 | 222 | 12.5 | 164 | 16 | 12.4 | 168 |

| | 12 MONTH A | VERAGE | | TI | HIS PROBE PERIOD |
|---|-------------|--------------|---------------|-------------|------------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. A |
| Maschmeyer, D. & G. Bruderheim 998-2845 | 70 | 15.6 | 149 | 10 | 13.8 |
| Matejka, G. Sylvan Lake 887-2656 | 355 | 12.9 | 169 | 28 | 12.5 |
| Reiter Farms Iron Springs 738-4472 | 392 | 12.8 | 152 | 27 | 13.4 |
| Roeske, M. Alcomdale 939-4938 | 211 | 15.0 | 157 | 21 | 13.4 |
| | | LAND | RACE | | |
| Acadia Breeders Lacombe 782-2836 | 144 | 13.2 | 152 | 7 | 11.2 |
| Barrett, R. & A. Ponoka 783-5192 | 126 | 13.8 | 141 | 7 | 12.5 |
| Gilt Line Farm Ltd. Acme 546-4042 | (Not Avail | able) | | 6 | 12.9 |
| Lakeland College Vermilion 853-8597 | 189 | 15.0 | 163 | 9 | 12.7 |
| Maschmeyer, D. & G. Bruderheim 998-2845 | 28 | 14.0 | 146 | 4 | 14.1 |
| Matejka, G. Sylvan Lake 887-2656 | 30 | 13.1 | 161 | 1 | 12.3 |
| Reiter Farms Iron Springs 738-4472 | 52 | 12.3 | 156 | 7 | 13.0 |

| | 12 MONTH | AVERAGE | | TH | HIS PROBE PERIO | OD |
|---|-------------|-----------------|---------------|-------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| | | LAC | OMBE | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 350 | 16.1 | 142 | 40 | 15.4 | 150 |
| Five Lakes Farms Mayerthorpe 786-2187 | 159 | 13.3 | 173 | 1 | 13.7 | 206 |
| Gwynne Vista Farms Gwynne 352-2998 | 160 | 13.9 | 164 | 9 | 14.5 | 180 |
| | | HAMP | SHIRE | | | |
| Arychuk, D. Viking 336-2128 | (Not Avail | lable) | | 2 | 11.8 | 157 |
| Brownlee, J. Hairy Hill 768-2313 | 37 | 11.9 | 180 | 6 | 12.1 | 185 |
| Five Lakes Farms Mayerthorpe 786-2187 | 114 | 12.4 | 182 | 6 | 10.8 | 197 |
| Reiter Farms Iron Springs 738-4472 | 20 | 12.8 | 153 | 5 | 14.5 | 159 |
| | | DUI | ROC | | | |
| Eidse, L. Crooked Creek 957-2446 | (Not Avail | lable) | | 4 | 15.8 | 148 |
| Maschmeyer, D. & G. Bruderheim 998-2845 | 83 | 13.9 | 152 | 8 | 15.4 | 148 |
| Matejka, G. Sylvan Lake 887-2656 | (Not Avail | lable) | | 2 | 13.6 | 187 |
| | | | | | | |

| | 12 MONTH A | VERAGE | | TI | HIS PROBE PERIO | D |
|---------------------------------|-------------|-----------------|---------------|-------------|--|---|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | |
| | | RED WA | ATTLE | | | |
| Penalta Red Wattles Winfield | | | | | | |
| 682-2269 | 38 | 23.3 | 181 | 2 | 13.3 | |
| | | CROSS | BRED | | | |
| Acadia Breeders Lacombe | | | | | | |
| 782-2836 | (Not Avail | able | | 3 | 10.9 | |
| Barrett, R. & A. Ponoka | | | | | | |
| 783 – 5192 | (Not Avail | able | | 4 | 11.6 | |
| Bloomsbury Farms | | | | | | |
| Bloomsbury 674-3307 | 194 | 15.7 | 140 | 17 | 15.9 | |
| Deschner, K. | | | | | | |
| Brooks 362-7304 | 58 | 12.9 | 172 | 9 | 15.9 | |
| Eidse, L. | | | | | | |
| Crooked Creek 957-2446 | 122 | 14.8 | 155 | 4 | 15.0 | |
| Gilt Line Farms Ltd. | | | | | | |
| Acme 546-4042 | 206 | 14.4 | 159 | 13 | 14.2 | |
| Groot, C. | | | | | | |
| Neerlandia 674-4077 | 254 | 13.4 | 169 | 11 | 14.9 | |
| Gwynne Vista Farms | 234 | 13.4 | 107 | 11 | 14.5 | |
| Gwynne 352-2998 | 221 | 13.2 | 162 | 37 | 13.4 | |
| | 221 | 13.2 | 102 | 37 | 13.4 | |
| Maschmeyer, D. & G. Bruderheim | (27 | | | | 14.0 | |
| 998-2845 | (Not Avail | .aole) | | 2 | 14.3 | |
| Olds College Olds | | | W. Line | | The state of the s | |
| 556-8327 | 522 | 15.9 | 157 | 26 | 15.3 | |

| 12 MONTH AVERAGE | | | | THIS PROBE PERIOD | | |
|--|-------------|--------------|---------------|-------------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Ranchview Test Barn Bentley 748-3802 | 520 | 13.2 | 166 | 9 | 14.5 | 157 |
| Ranchview Farms "B" Bentley 748-3802 | 585 | 13.2 | 158 | 48 | 12.9 | 167 |

